

1. Comi G, Pescatori D, Bossi AC, Fusi MG, Tousson J, Pozza G. Clinical and instrumental diagnosis of autonomic neuropathy in insulin-dependent diabetes. *Acta Diab Lat* 19,377-384, 1982.
2. Cignarelli M, De Pergola G, Paternostro A, Corso M, Cospite MA, Centaro G, Giorgino R. Arginine-vasopressin response to supine-erect posture change: an index to evaluate the integrity of afferent limb component of baroregulatory system in diabetic neuropathy. *Diabete & Metabolisme* 12: 34-38, 1986.
3. Caviezel F, Bossi AC, Baresi A, Salvini A. Ano-rectal manometry as an evaluating test for impaired ano-rectal function in diabetes mellitus. *Acta Diab Lat* 23:331-337, 1986.
4. Gambardella S, Felici MG, Annibale B, Delle Fave GF, Jacoangeli F, Spallone V, Menzinger G. Pancreatic polypeptide response to a protein-rich meal in diabetic patients with and without neuropathy. *J Endocrinol Invest.* 1-4, 1986.
5. Giorgino R, Cignarelli M, Paternostro A, Romanazzi V, Cospite MR, Giorgino F. Suppression of sympathetic activity and renin angiotensin aldosterone system in hypertensive type 2 diabetic subjects. *Diab. Nutr. Metab.* 2: 277-284, 1989.
6. Bellavere F., Thomaseth K., Cobelli C., Balzani I., DeMasi G., Guarini L., Bax G., Fedele D.: Evaluation of the vagal-sympathetic interaction in diabetics with autonomic neuropathy through power spectrum density analysis of the heart rate. A critical revision of the natural history of diabetic autonomic neuropathy is possible. *Functional Neurology* 4: 177-181, 1989.
7. Paolisso G, Cennamo G, Marfella R, Sgambato S, Giunta R, Varricchio M, D'Onofrio F. Exaggerated orthostatic hypotension as first sign of diabetic autonomic neuropathy in the elderly. *Arch Gerontol Geriatr.* 9(2):107-113, 1989.
8. Spallone V, Mazzaferro S, Tomei E, Maiello MR, Lungaroni G, Sardella D, Diacinti D, Menzinger G, Coen G. Autonomic neuropathy and secondary hyperparathyroidism in uraemia. *Nephrol Dial Transplant.* 5 Suppl 1:128-30, 1990.
9. Giorgino F, Paternostro A, Romanazzi V, Cospite MR, Dell'Erba L, Giorgino R, Cignarelli M. High plasma atrial natriuretic peptide levels as cause of hyporeninemic hypoaldosteronism in diabetes associated hypertension. *Diab. Nutr. Metab.* 4: 1-7, 1991.
10. Felici MG, Spallone V, Maiello MR, Gatta R, Civetta E, Frontoni S, Gambardella S, Menzinger G. Twenty-four hours blood pressure and heart rate profiles in diabetics with and without autonomic neuropathy. *Funct Neurol.* 6:299-304, 1991.

11. Palasciano G, Portincasa P, Belfiore A, Baldassarre G, Cignarelli M, Paternostro A, Albano O, Giorgino R. Gallbladder volume and emptying in diabetics: The role of neuropathy and obesità. *J. Internal Med.* 231: 123-127, 1992.
12. Spallone V, Bernardi L, Ricordi L, Soldà P, Maiello MR, Calciati A, Gambardella S, Fratino P, Menzinger G. Relationship between the circadian rhythms of blood pressure and sympathovagal balance in diabetic autonomic neuropathy. *Diabetes.* 42:1745-52, 1993.
13. Giugliano D, Marfella R, Quatraro A, De Rosa N, Salvatore T, Cozzolino D, Ceriello A, Torella R. Tolrestat for mild diabetic neuropathy. A 52-week, randomized, placebo-controlled trial. *Ann Intern Med.* 118(1):7-11, 1993.
14. Menzinger G, Gambardella S, Spallone V. The relationship of autonomic neuropathy to other diabetic complications. *Diabet Med.* 10 Suppl 2:74S-76S, 1993.
15. Gambardella S, Frontoni S, Spallone V, Maiello MR, Civetta E, Lanza G, Sandric S, Menzinger G, Lanza GA. Increased left ventricular mass in normotensive diabetic patients with autonomic neuropathy. *Am J Hypertens.* 6(2):97-102, 1993. *Erratum in: Am J Hypertens 1993,6:1066.*
16. Basso A; Dalla Paola L; Erle G; Boscaro M; Armanini D. Licorice ameliorates postural hypotension caused by diabetic autonomic neuropathy. *Diabete Care,* 17(11) 1356, 1994.
17. Bossi AC, Baresi A, Ballini A, Bindelli C. Ondasentron in the treatment of diabetic diarrhea. *Diabetes Care* 17,453-454, 1994.
18. Marfella R, Salvatore T, Giugliano D, Di Maro G, Giunta R, Torella R, Juchmes J, Scheen A, Lefebvre PJ. Detection of early sympathetic cardiovascular neuropathy by squatting test in NIDDM. *Diabetes Care.* 17(2):149-51, 1994.
19. Spallone V, Gambardella S, Maiello MR, Barini A, Frontoni S, Menzinger G. Relationship between autonomic neuropathy, 24-h blood pressure profile, and nephropathy in normotensive IDDM patients. *Diabetes Care.* 17:578-84, 1994.
20. Marfella R, Giugliano D, Cozzolino D, Di Maro G, Giunta R, Rossi F. Plasma endothelin in diabetic autonomic neuropathy. *Diabetes Care.* 17(2):161-2, 1994.
21. Marfella R, Giugliano D, di Maro G, Acampora R, Giunta R, D'Onofrio F. The squatting test. A useful tool to assess both parasympathetic and sympathetic involvement of the cardiovascular autonomic neuropathy in diabetes. *Diabetes.* 43(4):607-12, 1994.
22. Quatraro A, Roca P, Donzella C, Acampora R, Marfella R, Giugliano D. Acetyl-L-carnitine for symptomatic diabetic neuropathy. *Diabetologia.* 38(1):123, 1995 .

23. Giugliano D, Acampora R, Marfella R, Di Maro G, De Rosa N, Misso L, Ceriello A, Quatraro A, D'Onofrio F. Tolrestat in the primary prevention of diabetic neuropathy. *Diabetes Care*. 18(4):536-41, 1995.
24. Spallone V, Uccioli L, Menzinger G. Diabetic autonomic neuropathy. *Diabetes Metab Rev*. 11:227-57, 1995.
25. Spallone V, Bernardi L, Maiello MR, Cicconetti E, Ricordi L, Fratino P, Menzinger G. Twenty-four-hour pattern of blood pressure and spectral analysis of heart rate variability in diabetic patients with various degrees of autonomic neuropathy. Comparison to standard cardiovascular tests. *Clin Sci (Lond)* 91 Suppl:105-7, 1996.
26. Bax G, Fagherazzi C, Piarulli F, Nicolucci A, Fedele D. Reproducibility of Michigan Neuropathy Screening Instrument (MNSI). A comparison with tests using the vibratory and thermal perception thresholds.. *Diabetes Care*. 19(8):904-5, 1996.
27. Morano S, Sensi M, Di Gregorio S, Pozzessere G, Petrucci AFG, Valle E, Pugliese G, Caltabiano V, Vetri M, Di Mario U, Purrello F. Peripheral, but not central, neuroelectrophysiological abnormalities are reversed by pancreatic islet transplantation in diabetic Lewis rats. *Eur J Neurosci*. 8:1117-1123, 1996.
28. Spallone V, Menzinger G. Diagnosis of cardiovascular autonomic neuropathy in diabetes. *Diabetes*.46 Suppl 2:S67-76, 1997.
29. Spallone V, Menzinger G. Autonomic neuropathy: clinical and instrumental findings. *Clin Neurosci*.4:346-58, 1997.
30. Spallone V, Maiello MR, Cicconetti E, Menzinger G. Autonomic neuropathy and cardiovascular risk factors in insulin-dependent and non insulin-dependent diabetes. *Diabetes Res Clin Pract*.34:169-79, 1997.
31. Bax G, Marin N, Piarulli F, Lamonica M, Bellio F, Fedele D. Rigiscan evaluation of specific nervous impairment in patients with diabetes and erectile disorders.. *Diabetes Care*. Jul;21(7):1159-61, 1998.
32. Giordano A, Calcagni ML, Verrillo A, Pellegrinotti M, Frontoni S, Spallone V, Gambardella S. Assessment of sympathetic innervation of the heart in diabetes mellitus using 123I-MIBG. *Diabetes Nutr Metab*. 13:350-5, 2000.
33. Frontoni S, Pellegrinotti M, Bracaglia D, Farrace S, Caselli A, Baroni A, De Angelis C, Menzinger G, Gambardella S. Hyperinsulinaemia in offspring of Type 2 diabetic patients: impaired response of carbohydrate metabolism, but preserved cardiovascular response. *Diabet Med*. 17:606-11, 2000.

34. Spallone V, Maiello MR, Cicconetti E, Pannone A, Barini A, Gambardella S, Menzinger G. Factors determining the 24-h blood pressure profile in normotensive patients with type 1 and type 2 diabetes. *J Hum Hypertens*.15:239-46, 2001.
35. Marfella R, Nappo F, Marfella MA, Giugliano D. Acute hyperglycemia and autonomic function. *Diabetes Care*. 24(11):2016-7, 2001.
36. Frontoni S, Bracaglia D, Baroni A, Pellegrini F, Perna M, Cicconetti E, Ciampittiello G, Menzinger G, Gambardella S. Early autonomic dysfunction in glucose-tolerant but insulin-resistant offspring of type 2 diabetic patients. *Hypertension*.41:1223-7, 2003.
37. Quattrini, C. Tesfaye, S. Understanding the impact of painful diabetic neuropathy. *Diabetes/metabolism research and reviews*.19 Suppl 1:S2-8, 2003.
38. Quattrini C., Jeziorska M., Malik R.A. Small fiber neuropathy in diabetes: clinical consequence and assessment. *The international journal of lower extremity wounds*. 3(1):16-21, 2004.
39. Cordoni MC, Distrutti E, Vermigli C, Marino C, Bottini P, Bosso R, Scionti L Effects of hyperinsulinaemia on erythromycin-induced gallbladder and gastric motility in normal subjects. *Diabetes Nutr Metab*. 17(1):72-5, 2004.
40. Spallone V. Glycaemic control and gastric emptying. *Diabetes Nutr Metab*. 17:47-55, 2004.
41. Spallone V, Maiello MR, Kurukulasuriya N, Barini A, Lovecchio M, Tartaglione R, Mennuni G, Menzinger G. Does autonomic neuropathy play a role in erythropoietin regulation in non-proteinuric Type 2 diabetic patients? *Diabet Med*. 21:1174-80, 2004.
42. Mojaddidi, M. Quattrini, C. Tavakoli, M. Malik, R.A. Recent developments in the assessment of efficacy in clinical trials of diabetic neuropathy. *Current diabetes reports*. 5(6):417-22, 2005.
43. Bosi E, Conti M, Vermigli C, Cazzetta G, Peretti E, Cordoni MC, Galimberti G, Scionti L. Effectiveness of frequency-modulated electromagnetic neural stimulation in the treatment of painful diabetic neuropathy. *Diabetologia*. 48(5):817-23, 2005.
44. Balducci S, Iacobellis G, Parisi L, Di Biase N, Calandriello E, Leonetti F, Fallucca F. Exercise training can modify the natural history of diabetic peripheral neuropathy. *J Diabetes Complications*. 20(4):216-23, 2006.
45. Caselli A, Spallone V, Marfia GA, Battista C, Pachatz C, Veves A, Uccioli L. Validation of the nerve axon reflex for the assessment of small nerve fibre dysfunction. *J Neurol Neurosurg Psychiatry*.77:927-32, 2006.

46. Santini V, Ciampittiello G, Gigli F, Bracaglia D, Baroni A, Cicconetti E, Verri C, Gambardella S, Frontoni S. QTc and autonomic neuropathy in diabetes: effects of acute hyperglycaemia and n-3 PUFA. *Nutr Metab Cardiovasc Dis.* 17:712-8, 2007.
47. Piarulli F, Sambataro M, Minicuci N, Scarano L, Laverda B, Baiocchi MR, Baldo-Enzi G, Galasso S, Bax G, Fedele D. Mild peripheral neuropathy prevents both leg muscular ischaemia and activation of exercise-induced coagulation in Type 2 diabetic patients with peripheral artery disease. *Diabet Med.* 24(10):1099-104, 2007.
48. Spallone V, Maiello MR, Morganti R, Mandica S, Frajese G. Usefulness of ambulatory blood pressure monitoring in predicting the presence of autonomic neuropathy in type I diabetic patients. *J Hum Hypertens.* 21:381-6, 2007.
49. Quattrini, C. Harris, N.D. Malik, R.A. Tesfaye, S. Impaired skin microvascular reactivity in painful diabetic neuropathy. *Diabetes Care.* 30(3):655-9, 2007.
50. Quattrini, C. Tavakoli, M. Jeziorska, M. Kallinikos, P. Tesfaye, S. Finnigan, J. Marshall, A. Boulton, A.J. Efron, N. Malik, R.A. Surrogate markers of small fiber damage in human diabetic neuropathy. *Diabetes.* 56(8):2148-54, 2007.
51. Gruden G, Bruno G, Chaturvedi N, Burt D, Pinach S, Schalkwijk C, Stehouwer CD, Witte DR, Fuller JH, Cavallo Perin P, EURODIAB Prospective Complications Study Group. Serum HSP27 and diabetic complications in the EURODIAB Prospective Complications Study: a novel circulating marker for diabetic neuropathy. *Diabetes* 57:1966-70, 2008.
52. Quattrini, C. Jeziorska, M. Boulton, A.J. Malik, R.A. Reduced vascular endothelial growth factor expression and intra-epidermal nerve fiber loss in human diabetic neuropathy. *Diabetes Care.* 31(1):140-5, 2008.
53. Quattrini, C. Jeziorska, M. Tavakoli, M. Begum, P. Boulton, A.J. Malik, R.A. The Neuropad test: a visual indicator test for human diabetic neuropathy. *Diabetologia.* 51(6):1046-50, 2008.
54. Krishnan, S.T. Quattrini, C. Jeziorska, M. Malik, R.A. Rayman, G. Abnormal LDIf flare but normal quantitative sensory testing and dermal nerve fiber density in patients with painful diabetic neuropathy. *Diabetes Care.* 32(3):451-5, 2009.
55. Spallone V, Morganti R, Fedele T, D'Amato C, Maiello MR. Reappraisal of the diagnostic role of orthostatic hypotension in diabetes. *Clin Auton Res.* 19:58-64, 2009.
56. Spallone V, Morganti R, Siampli M, Fedele T, D'Amato C, Cacciotti L, Maiello MR. Neuropad as a diagnostic tool for diabetic autonomic and sensorimotor neuropathy. *Diabet Med.* 26:686-92, 2009.

57. Conti M, Peretti E, Cazzetta G, Galimberti G, Vermigli C, Pola R, Scionti L, Bosi E
Frequency-modulated electromagnetic neural stimulation enhances cutaneous microvascular flow in patients with diabetic neuropathy *J Diabetes Complications*. 23(1):46-8, 2009.
58. Tavakoli, M. Quattrini, C. Abbott, P. Kallinikos, A. Marshall, J. Finnigan, P. Morgan, N. Efron, A.J. Boulton, R.A. Malik. Corneal Confocal Microscopy: A Novel Non-invasive Test to Diagnose and Stratify the Severity of Human Diabetic Neuropathy. *Diabetes Care*. 33(8):1792-7, 2010.
59. Tesfaye S, Boulton AJ, Dyck PJ, Freeman R, Horowitz M, Kempler P, Lauria G, Malik RA, Spallone V, Vinik A, Bernardi L, Valensi P; Toronto Diabetic Neuropathy Expert Group. Diabetic neuropathies: update on definitions, diagnostic criteria, estimation of severity, and treatments. *Diabetes Care*. 33:2285-93, 2010.
60. Ziegler D, Hidvégi T, Gurieva I, Bongardt S, Freynhagen R, Sen D, Sommerville K; Lacosamide SP743 Study Group. Efficacy and safety of lacosamide in painful diabetic neuropathy. *Diabetes Care*. 33:839-41, 2010.
61. Spallone V, Morganti R, D'Amato C, Cacciotti L, Fedele T, Maiello MR, Marfia G. Clinical correlates of painful diabetic neuropathy and relationship of neuropathic pain with sensorimotor and autonomic nerve function. *Eur J Pain*.15:153-60, 2011.
62. Kempler P, Stirban A , Tesfaye S, Czupryniak L, Gurieva I, Mankovsky B, Spallone V, Veresiu IA, Schnell O, Need for pathogenetically oriented therapy of neuropathy in diabetes mellitus. *Diabetes, Stoffwechsel und Herz*; 20: 143-150, 2011.
63. Spallone V, Bellavere F, Scionti L, Maule S, Quadri R, Bax G, Melga P, Viviani GL, Esposito K, Morganti R, Cortelli P; Diabetic Neuropathy Study Group of the Italian Society of Diabetology. Recommendations for the use of cardiovascular tests in diagnosing diabetic autonomic neuropathy. *Nutr Metab Cardiovasc Dis.*;21:69-78, 2011.
64. Kempler P, Amarenco G, Freeman R, Frontoni S, Horowitz M, Stevens M, Low P, Pop-Busui R, Tahrani AA, Tesfaye S, Várkonyi T, Ziegler D, Valensi P; Toronto Consensus Panel on Diabetic Neuropathy. Management strategies for gastrointestinal, erectile, bladder, and sudomotor dysfunction in patients with diabetes. *Diabetes Metab Res Rev.*, 27:665-77, 2011.
65. Spallone V, Ziegler D, Freeman R, Bernardi L, Frontoni S, Pop-Busui R, Stevens M, Kempler P, Hilsted J, Tesfaye S, Low P, Valensi P; Toronto Consensus Panel on Diabetic Neuropathy. Cardiovascular autonomic neuropathy in diabetes: clinical

- impact, assessment, diagnosis, and management. *Diabetes Metab Res Rev.*,27:639-53, 2011.
- 66.** Bernardi L, Spallone V, Stevens M, Hilsted J, Frontoni S, Pop-Busui R, Ziegler D, Kempler P, Freeman R, Low P, Tesfaye S, Valensi P; Toronto Consensus Panel on Diabetic Neuropathy. Methods of investigation for cardiac autonomic dysfunction in human research studies. *Diabetes Metab Res Rev.* 27:654-64, 2011.
 - 67.** Padua L, Stålberg E, Caliandro P, Muscogiuri G, Pazzaglia C, Sorice GP, Granata G, Salomone E, Pontecorvi A, Giaccari A. Single-fiber conduction velocity test allows earlier detection of abnormalities in diabetes. *Muscle Nerve.* 43(5):652-6, 2011.
 - 68.** Spallone V, Morganti R, D'Amato C, Greco C, Cacciotti L, Marfia GA. Validation of DN4 as a screening tool for neuropathic pain in painful diabetic polyneuropathy. *Diabet Med.* 29:578-85, 2012.
 - 69.** Spallone V. Management of painful diabetic neuropathy: guideline guidance or jungle? *Curr Diab Rep.* 12:403-13, 2012.
 - 70.** Sawacha Z., Spolaor F., Guarneri G., Contessa P., Carraro E., Venturin A., Avogaro A., Cobelli C.: Abnormal muscle activation during gait in diabetes patients with and without neuropathy. *Gait Posture* 35:101-105, 2012.
 - 71.** Guiotto A, Sawacha Z, Guarneri G, Cristoferi G, Avogaro A, Cobelli C. The role of foot morphology on foot function in diabetic subjects with or without neuropathy. *Gait Posture* 37:603-610, 2012.
 - 72.** Spallone V, Lacerenza M, Rossi A, Sicuteri R, Marchettini P. Painful diabetic polyneuropathy: approach to diagnosis and management. *Clin J Pain.* 28:726-43, 2012.
 - 73.** Spallone V, Greco C. Painful and painless diabetic neuropathy: one disease or two? *Curr Diab Rep.* 13:533-49, 2013.
 - 74.** Bosi E, Bax G, Scionti L, Spallone V, Tesfaye S, Valensi P, Ziegler D; FREMS European Trial Study Group. Frequency-modulated electromagnetic neural stimulation (FREMS) as a treatment for symptomatic diabetic neuropathy: results from a double-blind, randomised, multicentre, long-term, placebo-controlled clinical trial. *Diabetologia.* 56:467-75, 2013.
 - 75.** Truini A, Biasiotta A, Di Stefano G, La Cesa S, Leone C, Cartoni C, Leonetti F, Casato M, Pergolini M, Petrucci MT, Cruccu G. Peripheral nociceptor sensitization mediates allodynia in patients with distal symmetric polyneuropathy. *J Neurol.* 260(3):761-6, 2013.

- 76.** Papanas N, Boulton AJ, Malik RA, Manes C, Schnell O, Spallone V, Tentolouris N, Tesfaye S, Valensi P, Ziegler D, Kempler P. A simple new non-invasive sweat indicator test for the diagnosis of diabetic neuropathy. *Diabet Med.* 30:525-34, 2013.
- 77.** Squintani G, Zoppini G, Donato F, Pineschi E, Donini D, Stoico V, Moretto G, Bonora E, Morini A. Antidromic sensory nerve conduction study of the digital branches of the medial plantar nerve: A novel method to detect early diabetic sensory axonal polyneuropathy. *Muscle Nerve* 50: 193-199; 2014.
- 78.** Stirban A , Tesfaye S, Gurieva I, Czupryniak L, Mankovsky BN, Spallone V, Veresiu IA, Schnell O, Ziegler D, Kempler P. Benfotiamine: Commentary and update on recent studies. *Diabetes, Stoffwechsel und Herz* 23, 203-206, 2014.
- 79.** D'Amato C, Morganti R, Di Gennaro F, Greco C, Marfia GA, Spallone V. A novel association between nondipping and painful diabetic polyneuropathy. *Diabetes Care.*37:2640-2, 2014.
- 80.** Maddaloni E., Sabatino F, Del Toro R., Crugliano S., Grande S., Lauria Pantano A, Maurizi AR., Palermo A., Bonini S, Pozzilli P., Manfrini S. In vivo corneal confocal microscopy as a novel non-invasive tool to investigate cardiac autonomic neuropathy in Type 1 diabetes. *Diabet Med.* 32(2):262-6, 2015.