1. Bonora E., Coscelli C., Butturini U. Residual B cell function and insulin sensitivity in type 1 (insulin-dependent) diabetes mellitus. Diabetologia 25: 298, 1983.
2. Galluzzo, A., Giordano, C., Rubino, G., Bompiani, G.D. Immunoregulatory T-lymphocyte subset deficiency in newly diagnosed type 1 (insulin-dependent) diabetes mellitus Diabetologia 26 (6): 426-430, 1984.
3. Triolo, G., Giardina, E., Zarcone, M.R., Giordano, C., Rinaldi, A., Bompiani, G.D. Contribution of secretory IgA, polymeric IgA and IgA/secretory component-containing circulating immune complexes to the serum hyper-IgA in diabetes mellitus. Diabetologia 27 (1 Supplement): 157-159, 1984.
4. Galluzzo, A., Giordano, C., Panto, F. First-year residual beta cell function in HLA-typed insulin-dependent diabetic patients. Transplantation Proceedings 18 (6):1496-1497, 1986.
5. Pozzilli P, Ghirlanda G, Manna R, Alfano G, Greco AV, Andreani D White cells transfusion in recent onset type 1 diabetes.Diabetes Res. 3(5):273-6, 1986.
6. Lampeter EF, Krug J, Beales P, Sutherland J, Cossel L, Pozzilli P. Ultrastructure of lymphocyte subsets and of activated lymphocytes in type 1 diabetes as defined by monoclonal antibodies and the immunogold technique. Diabetes Res.;5(2):59-66, 1987.
7. Giordano, C., Galluzzo, A., Panto, F., Caruso, C., Bompiani, G. Prevalence of residual B-cell function related to age at onset and genetic profile in newly diagnosed type I diabetics. Acta Diabetologica Latina 24 (4): 317-323, 1988.
8. Giordano, C., Galluzzo, A., Marco, A., Panto, F., Amato, M.P., Caruso, C., Bompiani, G.D Increased soluble interleukin-2 receptor levels in the sera of type 1 diabetic patients. Diabetes Research 8 (3): 135-138, 1988.
9. Giordano, C., Panto, F., Caruso, C., Modica, M.A., Amato, M.P., Galluzzo, A.Markers of stimulated T lymphocyte activation at the onset of Type I (insulin-dependent) diabetes. Medical Science Research 16 (8): 423-424,1988.
10. Caruso, C., Giordano, C., Galluzzo, A., Panto, F., Modica, M.A HLA-DR1 and HLA-DR3 phenotypes and insulin antibody production in diabetic Sicilian patients. Experimental and Clinical Immunogenetics 5 (1):48-51,1988.
11. Giordano, C., Caruso, C., Panto, F., Assunta Modica, M., Zambito, A.M., Amato, M.P., Galluzzo, A.Dissociated production of interleukin-2 and immune gamma-interferon by phytohaemoagglutinin stimulated peripheral mononuclear cells in type 1 (insulin-dependent) diabetes. Journal of Clinical and Laboratory Immunology 27 (2) :73-76, 1988.

12. Giordano, C., Panto, F., Caruso, C., Modica, M.A., Zambito, A.M., Sapienza, N., Amato, M.P., Galluzzo, A. Interleukin 2 and soluble interleukin 2-receptor secretion defect in vitro in newly diagnosed type I diabetic patients. Diabetes 38 (3): 310-315, 1989.

13. Lampeter EF, Signore A, Gale EA, Pozzilli P. Lessons from the NOD mouse for the pathogenesis and immunotherapy of human type 1 (insulin-dependent) diabetes mellitus. Diabetologia. 32(10):703-8, 1989.

14. Pozzilli P, Visalli N, Ghirlanda G, Manna R, Andreani D Nicotinamide increases C-peptide secretion in patients with recent onset type 1 diabetes. Diabet Med. 6(7):568-72, 1989.

15. Al-Sakkaf L, Pozzilli P, Tarn AC, Schwarz G, Gale EA, Bottazzo GF. Persistent reduction of CD4/CD8 lymphocyte ratio and cell activation before the onset of type 1 (insulin-dependent) diabetes. Diabetologia. 32(5):322-5, 1989.

16. Modica, M.A., Di Lorenzo, G., Galluzzo, A., Giordano, C., Portelli, M.R., Candore, G., Caruso, C.Soluble interleukin-2 receptor secretion defect in vitro in HLA-B8,DR3 positive subjects. Autoimmunity 7 (2-3) :87-96, 1990.

17. Cobelli C., Toffolo G., Avogaro A., Nosadini R.: On the measurement of ketone body turnover. Am. J. Physiol. 258: E890, 1990.

18. Panto, F., Giordano, C., Amato, M.P., Pugliese, A., Donatelli, M., D'Acquisto, G., Galluzzo, A. The influence of high dose intravenous immunoglobulins on immunological and metabolic pattern in newly diagnosed type I diabetic patients. Journal of Autoimmunity 3 (5) :587-592, 1990.

19. Giordano, C., Panto, F., Amato, M.P., Sapienza, N., Pugliese, A., Galluzzo, A. Early administration of an immunomodulator and induction of remission in insulin-dependent diabetes mellitus. Journal of Autoimmunity 3 (5) :611-617, 1990.

20. Giordano, C., Sapienza, N., Mattina, A., Pugliese, A., Galluzzo, A.Serum reactivity against RINm5F purified membrane antigens (ICMA) in newly diagnosed diabetic subjects. Diabetes Research 15 (3) :113-116, 1990.

21. Giordano, C., Galluzzo, A., Panto, F., Amato, M.P., Bompiani, G.D. In vitro lymphokine secretion by peripheral blood mononuclear cells after phytohaemagglutinin stimulation in type I diabetes. Diabetes, Nutrition and Metabolism - Clinical and Experimental 3 (4) :277-284, 1990.

22. Caruso, C., Modica, M.A., Candore, G., Di Giulio, C., Galluzzo, A., Giordano, C., Di Marco, P., Gebbia V, Tamone Reyes M, Citarrella, P Soluble interleukin-2 receptor in vitro production by mononuclear cells from Hodgkin patients.. Bollettino dell'Istituto Sieroterapico Milanese 69 (1) : 335-338, 1990.

23. Andreani D, Di Mario U, Pozzilli P. Prediction, prevention, and early intervention in insulin-dependent diabetes. Diabetes Metab Rev. 7(1):61-77, 1991.

24. Giordano, C T-cell cloning in human type I diabetes.. Diabetes/Metabolism Reviews 8 (1) : 39-51, 1992.

25. al Sakkaf L, Pozzilli P, Bingley PJ, Lowdell MW, Thomas JM, Bonifacio E, Gale EA, Bottazzo GF Early T-cell defects in pre-type 1 diabetes.Acta Diabetol.;28(3-4):189-92, 1992

26. Leslie RD, Carotenuto P, Pozzilli P.New developments in non-specific and semi-specific immunosuppression in type I diabetes. Diabetes Metab Rev. 9(4):257-67, 1993.

27. Giordano, C., De Maria, R., Todaro, M., Stassi, G., Mattina, A., Richiusa, P., Galluzzo, G., Pantò F., Galluzzo, A.Study of T-cell activation in type I diabetic patients and pre-type I diabetic subjects by cytometric analysis: Antigen expression defect in vitro. Journal of Clinical Immunology 13 (1) :68-74, 1993.

28. De Maria, R., Todaro, M., Stassi, G., Di Blasi, F., Giordano, M., Galluzzo, A., Giordano, C. Defective T cell receptor/CD3 complex signaling in human type I diabetes. European Journal of Immunology 24 (4) : 999-1002, 1994.

29. Giordano, C., Stassi, G., Todaro, M., De Maria, R., Richiusa, P., Scorsone, A., Giordano, M., Galluzzo, A. Low bcl-2 expression and increased spontaneous apoptosis in T-lymphocytes from newly-diagnosed IDDM patients. Diabetologia 38 (8):953-958, 1995.

30. Giordano, C., De Maria, R., Slassi, G., Todaro, M., Richiusa, P., Giordano, M., Testi, R., Galluzzo, A.Defective expression of the apoptosis-inducing CD95 (Fas/APO-1) molecule on T and B cells in IDDM. Diabetologia 38 (12):1449-1454, 1995.

31. Signore A, Procaccini E, Chianelli M, Retroviruses and diabetes in animal models: hypotheses for the induction of the disease. Diabete Metab. 21(3):147-55, 1995.

32. Cavallo MG, Fava D, Monetini L, Barone F, Pozzilli P. Cell-mediated immune response to beta casein in recent-onset insulin-dependent diabetes: implications for disease pathogenesis. Lancet. 5;348(9032):926-8. 1996 *Erratum in: Lancet 1996 Nov 16;348(9038):1392.*

33. Signore A, Barone R, Procaccini E, Annovazzi A, Chianelli M, Scopinaro F, Ronga G, Multari G, Looman WJ, Pozzilli P. In vivo measurement of immunoglobulin accumulation in the pancreas of recent onset type 1 diabetic patients. Clin Exp Rheumatol. 14 Suppl 15:S41-5, 1996.

34. Pozzilli P, Leslie RD. Hyperexpression of GAD in the islets may be relevant but is it sufficient to induce autoimmune insulitis? Diabetologia. 40(3):357-61, 1997.

35. Stassi, G., De Maria, R., Trucco, G., Rudert, W., Testi, R., Galluzzo, A., Giordano, C., Trucco, M. Nitric oxide primes pancreatic β cells for Fas-mediated destruction in insulin-dependent diabetes mellitus. Journal of Experimental Medicine 186 (8) , pp. 1193-1200, 1997.

36. Giordano, C., Richiusa, P., Sbriglia, M.S., Pizzolanti, G. The role of FAS/FASLig and apoptosis in β-cell death in animal models: Relevance for human IDDM. Diabetes/Metabolism Reviews 14 (2) : 194-195, 1998.

37. Malizia, R., Scorsone, A., D'Angelo, P., Lo Pinto, C., Pitrolo, L., Giordano, C.Zinc deficiency and cell-mediated and humoral autoimmunity of insulin- dependent diabetes in thalassemic subjects. Journal of Pediatric Endocrinology and Metabolism 11 (SUPPL. 3):981-984, 1998.

38. Pozzilli P, Visalli N, Buzzetti R, Cavallo MG, Marietti G, Hawa M, Leslie RD. Metabolic and immune parameters at clinical onset of insulin-dependent diabetes: a population-based study. IMDIAB Study Group. Immunotherapy Diabetes.Metabolism. Oct;47(10):1205-10, 1998.

39. Pozzilli P. Beta-casein in cow's milk: a major antigenic determinant for type 1 diabetes? J Endocrinol Invest. 22(7):562-7, 1999.

40. Schloot NC, Pozzilli P, Mandrup-Poulsen T. Immune markers for monitoring the progression of autoimmune disease. Diabetes Metab Res Rev. 15(2):141-5, 1999.

41. Monetini L, Cavallo MG, Barone F, Valente L, Russo M, Walker B, Thorpe R, Pozzilli P T cell reactivity to human insulinoma cell line (CM) antigens in patients with type 1 diabetes. Autoimmunity.;29(3):171-7, 1999.

42. Locuratolo N, Pugliese G, Pricci F, Romeo G, Mariani P , Diaz-Horta O, Calvani L, Montuori M, Cipolletta E, Di Mario U, Bonamico M. The circulating insulin-like growth factor system in children with coeliac disease: An additional marker for disease activity. Diab/Metab Res Rev 15:254-260, 1999.

43. Pozzilli P, Manfrini S, Monetini L.Biochemical markers of type 1 diabetes: clinical use. Scand J Clin Lab Invest Suppl.;235:38-44, 2001.

44. Pozzilli P, Di Mario U. Autoimmune diabetes not requiring insulin at diagnosis (latent autoimmune diabetes of the adult): definition, characterization, and potential prevention. Diabetes Care. 24(8):1460-7, 2001.

45. Crinò A, Cavallo MG, Corbi S, Mesturino CA, Ferrazzoli F, Coppolino G, Bizzarri C, Cervoni M, Monetini L, Pozzilli P; IMDIAB Group. Intradermal skin test with diabetes specific antigens in patients with type 1 diabetes. Clin Exp Immunol. 123(3):382-6, 2001.

46. Monetini L, Cavallo MG, Stefanini L, Ferrazzoli F, Bizzarri C, Marietti G, Curro V, Cervoni M, Pozzilli P; IMDIAB Group. Bovine beta-casein antibodies in breast- and bottle-fed infants: their relevance in Type 1 diabetes. Diabetes Metab Res Rev.;17(1):51-4, 2001.

47. Monetini L, Cavallo MG, Manfrini S, Stefanini L, Picarelli A, Di Tola M, Petrone A, Bianchi M, La Presa M, Di Giulio C, Baroni MG, Thorpe R, Walker BK, Pozzilli P; IMDIAB Group Antibodies to bovine beta-casein in diabetes and other autoimmune diseases. Horm Metab Res. 34(8):455-9, 2002.

48. Ou D, Metzger DL, Wang X, Pozzilli P, Tingle AJ. beta-cell antigen-specific CD56(+) NKT cells from type 1 diabetic patients: autoaggressive effector T cells damage human CD56(+) beta cells by HLA-restricted and non-HLA-restricted pathways. Hum Immunol. 63(4):256-70, 2002.

49. Monetini L, Barone F, Stefanini L, Petrone A, Walk T, Jung G, Thorpe R, Pozzilli P, Cavallo MG. Establishment of T cell lines to bovine beta-casein and beta-casein-derived epitopes in patients with type 1 diabetes. J Endocrinol. 176(1):143-50, 2003.

50. Monetini L, Cavallo MG, Sarugeri E, Sentinelli F, Stefanini L, Bosi E, Thorpe R, Pozzilli P; Immunotherapy Diabetes (IMDIAB) group. Cytokine profile and insulin antibody IgG subclasses in patients with recent onset type 1 diabetes treated with oral insulin. Diabetologia. 47(10):1795-802, 2004.

51. Pozzilli P, Manfrini S, Crinò A, Picardi A, Leomanni C, Cherubini V, Valente L, Khazrai M, Visalli N; IMDIAB group. Low levels of 25-hydroxyvitamin D3 and 1,25-dihydroxyvitamin D3 in patients with newly diagnosed type 1 diabetes.
Horm Metab Res. Nov;37(11):680-3, 2005.

52. Leslie RD, Williams R, Pozzilli P. Clinical review: Type 1 diabetes and latent autoimmune diabetes in adults: one end of the rainbow. J Clin Endocrinol Metab. 2006.

53. Buzzetti R, Di Pietro S, Giaccari A, Petrone A, Locatelli M, Suraci C, Capizzi M, Arpi ML, Bazzigaluppi E, Dotta F, Bosi E; Non Insulin Requiring Autoimmune Diabetes Study Group. High titer of autoantibodies to GAD identifies a specific phenotype of adult-onset autoimmune diabetes. Diabetes Care. 30(4):932-8, 2007.

54. Amato, M.C., Ciresi, A., Richiusa, P., Criscimanna, A., Allotta, L., Mattina, A., Galluzzo, A., Giordano, C Relative hypoleptinemia in poorly controlled patients with type 1 diabetes. Hormone and Metabolic Research 39 (5) :398-399, 2007.

55. Tiberti, C., Giordano, C., Locatelli, M., Bosi, E., Bottazzo, G.F., Buzzetti, R., Cucinotta, D., Galluzzo A, Falorni A, Dotta, F. Identification of tyrosine phosphatase 2(256-760) construct as a new, sensitive marker for the detection of islet autoimmunity in type 2 diabetic patients:

The non-insulin requiring autoimmune diabetes (NIRAD) study 2. Diabetes 57 (5) :1276-1283, 2008.

56. Padmos RC, Schloot NC, Beyan H, Ruwhof C, Staal FJ, de Ridder D, Aanstoot HJ, Lam-Tse WK, de Wit H, de Herder C, Drexhage RC, Menart B, Leslie RD, Drexhage HA; LADA Consortium. Distinct monocyte gene-expression profiles in autoimmune diabetes. Diabetes. 57(10):2768-73, 2008.

57. Brophy S, Yderstraede K, Mauricio D, Hunter S, Hawa M, Pozzilli P, Schernthaner G, Schloot N, Buzzetti R, Davies H, Leslie D, Williams R; Action LADA Group. Time to insulin initiation cannot be used in defining latent autoimmune diabetes in adults. Diabetes Care. 31(3):439-41, 2008.

58. .Petrone A, Suraci C, Capizzi M, Giaccari A, Bosi E, Tiberti C, Cossu E, Pozzilli P, Falorni A, Buzzetti R; NIRAD Study Group. The protein tyrosine phosphatase nonreceptor 22 (PTPN22) is associated with high GAD antibody titer in latent autoimmune diabetes in adults: Non Insulin Requiring Autoimmune Diabetes (NIRAD) Study 3. Diabetes Care. 31(3):534-8, 2008.

59. Zoppini G, Targher G, Trombetta M, Lippi G, Muggeo M Relationship between soluble CD40 ligand and gamma-glutamyltransferase concentrations in nondrinking, young Type 1 diabetic individuals. Diabet Med. 25(11):1283-8, 2008.

60. Battezzati A, Benedini S, Piceni Sereni L, De Taddeo F, Maffi P, Secchi A, Luzi L. Protein and glutamine kinetics during counterregulatory failure in type 1 diabetes. Nutr Metab Cardiovasc Dis, 2008.

61. Fiorina P, Vergani A, Dada S, Jurewicz M, Wong M, Law K, Wu E, Tian Z, Abdi R, Guleria I, Rodig S, Dunussi-Joannopoulos K, Bluestone J, Sayegh MH. Targeting CD22 reprograms B cells and reverses autoimmune diabetes. Diabetes, 57(11):3013-24, 2008.

62. Fiorina P, Jurewicz M, Augello A, Vergani A, Dada S, La Rosa S, Selig M, Godwin J, Law K, Placidi C, Smith RN, Capella C, Rodig S, Adra CN, Atkinson M, Sayegh MH, Abdi R. Immunomodulatory function of bone marrow-derived mesenchymal stem cells in experimental autoimmune type 1 diabetes. (2009). J Immunol, 15;183(2):993-1004, 2009.

63. Pozzilli P, Strollo R, Barchetta I. Natural history and immunopathogenesis of type 1 diabetes. Endocrinol Nutr. 56 Suppl 4:50-2, 2009..

64. Smura T, YlipaastoP, Klemola P, Kaijalainen S, Kyllönen L, Sordi V, Piemonti L, Roivainen M. Cellular tropism of human enterovirus D species serotypes EV-94, EV-70 and EV-68 in vitro implication for the pathogenesis J Med Virol. 82(11):1940-9, 2010.

65. Astorri E, Guglielmi C, Bombardieri M, Alessandri C, Buzzetti R, Maggi D, Valesini G, Pitzalis C, Pozzilli P.Circulating Reg1α proteins and autoantibodies to Reg1α proteins as biomarkers of β-cell regeneration and damage in type 1 diabetes. Horm Metab Res. Dec;42(13):955-60, 2010.

66. Cambuli VM, Incani M, Cossu E, Congiu T, Scano F, Pilia S, Sentinelli F, Cavallo MG, Loche S, Baroni MG. Prevalence of Type 1 Diabetes auto-antibodies (GADA, IA2,IAA) in overweight and obese children and their association with glucose levels. Diabetes Care) 33 (4): 820-822, 2010.

67. Vergani A, D'Addio F, Jurewicz M, Petrelli A, Watanabe T, Liu K, Law K, Schuetz C, Carvello M, Orsenigo E, Deng S, Rodig SJ, Ansari JM, Staudacher C, Abdi R, Williams J, Markmann J, Atkinson M, Sayegh MH, Fiorina P. A novel clinically relevant strategy to abrogate autommunity and regulate alloimmunity in NOD mice. Diabetes, 59(9):2253-64, 2010.

68. Giordano, C., Amato, M.C., Ciresi, A., Citarrella, R., Mantione, L., Accidenti, M., Pantò, F., Guarnotta V., Allotta ML, Criscimanna A, Galluzzo, A. Predictors of microvascular complications in type 1 diabetic patients at onset: The role of metabolic memory. European Journal of Internal Medicine 22 (3): 266-274, 2011.

69. Pilia S, Casini MR, Cambuli VM, Ibba A, Civolani P, Zavattari P, Incani M, Mossa P, Baroni MG, Mariotti S, Loche S. Prevalence of Type 1 diabetes autoantibodies (GAD and IA2) in Sardinian children and adolescents with autoimmune thyroiditis. Diabetic Medicine ì 28 (8):896-899, 2011.

70. Ferraro A, Socci C, Stabilini A, Valle A, Monti P , Piemonti L, Nano R, Olek S, Maffi P, Scavini M, Secchi A, Staudacher C, Bonifacio E, Battaglia M. Expansion of Th17 and functional defects in Tregs are key features of the pancreatic lymph-nodes in patients with type 1 diabetes. Diabetes. 60(11):2903-13, 2011.

71. Piemonti L, Maffi P, Monti L, Lampasona V, Perseghin G, Magistretti P, Secchi A, Bonifacio E. ß-cell function during rapamycin monotherapy in long-term type 1 diabetes. Diabetologia; 54: 433-449, 2011.

72. Bizzarri C., Pinto MR, Pitocco D., Astorri E., Cappa M., Hawa M., Giannone G., Palermo A., Maddaloni E., Leslie DRG, Pozzilli P. Diabetes-related autoantibodies in children with acute lymphoblastic leukemia." Diabetes Care 35 (3):e23,2012.

73. Mercalli A, Lampasona V, Klingel K, Albarello L, Lombardoni C, Ekström J, Sordi V, Mariani A, Dillner J, Roivainen M, Bosi E, Piemonti L. No evidence of enteroviruses in the intestine of type 1 diabetic patients. Diabetologia.. 55 (9), pp. 2479-2488, 2012.

74. Zampetti S, Capizzi M, Spoletini M, Campagna G, Leto G, Cipolloni L, Tiberti C, Bosi E, Falorni A, Buzzetti R; NIRAD Study Group. GADA titer-related risk for organ-specific autoimmunity in LADA subjects subdivided according to gender (NIRAD study 6). J Clin Endocrinol Metab.; 97:3759-3765, 2012.

75. Ylipaasto P, Smura T, Gopalacharyulu P, Paananen A, Seppänen-Laakso T, Kaijalainen S, Ahlfors H, Korsgren O, Lakey JR, Lahesmaa R, Piemonti L, Oresic M, Galama J, Roivainen M. Enterovirus-induced gene expression profile is critical for human pancreatic islet destruction. Diabetologia. 55(12):3273-83, 2012.

76. Capua I, Mercalli A, Pizzuto MS, Romero-Tejeda A, Kasloff S, De Battisti C, Bonfante F, Patrono LV, Vicenzi E, Zappulli V, Lampasona V, Stefani A, Doglioni C, Terregino C, Cattoli G, Piemonti L. Influenza A viruses grow in human pancreatic cells and cause pancreatitis and diabetes in an animal model. J Virol. 87(1):597-610, 2013.

77. Valle A, Giamporcaro GM, Scavini M, Stabilini A, Grogan P, Bianconi E, Sebastiani G, Masini M, Maugeri N, Porretti L, Bonfanti R, Meschi F, De Pellegrin M, Lesma A, Rossini S, Piemonti L, Marchetti P, Dotta F, Bosi E, Battaglia M. Reduced circulating neutrophils precedes and accompanies type 1 diabetes. Diabetes. 62(6):2072-7, 2013.

78. Levetan C, Pozzilli P, Jovanovic L, Schatz D Proposal for generating new beta cells in a muted immune environment for type 1 diabetes. Diabetes Metab Res Rev.;29(8):604-6, 2013.

79. Massa O, Alessio M, Russo L, Nardo G, Bonetto V, Bertuzzi F, Paladini A, Iafusco D, Patera P, Federici G, Not T, Tiberti C, Bonfanti R, Barbetti F. Serological Proteome Analysis (SERPA) as a tool for the identification of new candidate autoantigens in type 1 diabetes.J Proteomics.. 26;82:263-73, 2013.

80. Portuesi R, Cherubini C, Gizzi A, Buzzetti R, Pozzilli P, Filippi S. A stochastic mathematical model to study the autoimmune progression towards type 1 diabetes. Diabetes Metab Res Rev. Mar;29(3):194-203, 2013.

81. Tiberti C, Panimolle F, Bonamico M, Filardi T, Pallotta L, Nenna R, Pontone S, Dotta F, Pugliese G, Lenzi A, Balducci S, Morano S. Long-standing type 1 diabetes: patients with adult-onset develop celiac-specific immunoreactivity more frequently than patients with childhood-onset diabetes, in a disease duration-dependent manner. Acta Diabetol.; 51:675-678, 2014.

82. D'Addio F, Valderrama Vasquez A, Ben Nasr M, Franek E, Zhu D, Li L, Ning G, Snarski E, Fiorina P. Autologous nonmyeloablative hematopoietic stem cell transplantation in new-onset type 1 diabetes: a multicenter analysis. Diabetes. Sep;63(9):3041-6, 2014.

83. Amato MC, Guarnotta V, Ciresi A, Modica R, Pantò F, Giordano C. No phenotypic differences for polycystic ovary syndrome (PCOS) between women with and without type 1 diabetes mellitus. J Clin Endocrinol MetabJan;99(1):203-11, 2014

84. NIRAD Study Group. High GADA titer increases the risk of insulin requirement in LADA patients: a 7-year follow-up (NIRAD study 7). Eur J Endocrinol;171:697-704, 2014

85. Citro A, Valle A, Cantarelli E, Mercalli A, Pellegrini S, Liberati D, Daffonchio L, Kastsiuchenka O, Ruffini PA, Battaglia M, Allegretti M, Piemonti L. CXCR1/2 Inhibition Blocks and Reverts Type 1 Diabetes in Mice. Diabetes. 64:1329-40 2015.

86. Kleffel S, Vergani A, Tezza S, Ben Nasr M, Niewczas MA, Wong S, Bassi R, D'Addio F, Schatton T, Abdi R, Atkinson M, Sayegh MH, Wen L, Wasserfall CH, O'Connor KC, Fiorina P. Interleukin-10+ Regulatory B Cells Arise Within Antigen-Experienced CD40+ B Cells to Maintain Tolerance to Islet Autoantigens. Diabetes. 64(1):158-71, 2015.